

## **ADDENDUM 2**

**City of Ridgecrest**

**April 25, 2012**

**Notice to Bidders for**

**Civic Center Exterior Lighting**

**Retrofit Project**

All bidders are required to make change the following:

1. Remove: Item Code of Bid Item 3 on page I-21 of the Schedule of Bid Items.
2. Replace With: Remove and dispose of existing bollards in Civic Center Walkway and construct new commercial outdoor LED bollards complete, functioning and in place.
3. Add Bollard specifications to Appendix A, Technical Specifications, Part 1 General, 1.01 Description, C. Work includes:
  - a. ADD AS Follows: 11. Remove and dispose of existing bollards and construct new commercial outdoor LED bollards complete, functioning and in place. This shall include any wiring replacement and repairs at the bollard lighting connection. Also any new mounting fasteners to the sidewalks.
4. Add Bollard specifications to Appendix A, Technical Specifications, Part 2 Products, 2.01 Products,
  - a. ADD AS Follows: B. The new commercial outdoor LED bollards shall be Access Fixtures or approved equal to the following general specifications and features:
    - i. 7" Diameter by 43&3/8-inch tall extruded aluminum
    - ii. Extruded aluminum with flush mounting base and vandal resistant screws
    - iii. Domed top
    - iv. Powder coated Bronze finish over a Chromate Conversion Coating
    - v. Internal ballast tray with easy access for maintenance
    - vi. Cast aluminum louver reflector
    - vii. LED lamp
    - viii. Electronic ballast
    - ix. 120v-277v voltage